## **AMENDMENT**

Claim 1 (currently amended): A method for inhibiting the growth of tumor cells in an individual comprising administering to the individual a pharmacologically effective dose of a compound having a structural formula

Wherein X is oxygen or nitrogen;

Y is oxygen or NR<sup>6</sup>

 $R^1$  is  $-C_{1-10}$ alkylene-COOH,  $-C_{1-4}$ alkylene-CONH<sub>2</sub>,  $-C_{1-4}$ alkylene-COO-C<sub>1-4</sub>alkyl,  $-C_{1-4}$ alkylene-CON( $C_{1-4}$ alkylene-COOH)<sub>2</sub>,  $-C_{1-4}$ alkylene-OH,  $-C_{1-4}$ alkylene-NH<sub>3</sub>-halo or  $-C_{1-4}$ alkylene-OSO<sub>2</sub>NH( $C_{1-4}$ alkyl),  $-C_{1-4}$ alkylene-COO-C<sub>1-4</sub>alkyl,  $-C_{1-10}$ alkylene-CO-SH,  $-C_{1-4}$ alkylene-CO-S( $C_{1-4}$ alkyl),  $-C_{1-4}$ alkylene-CS-NH<sub>2</sub>,  $-C_{1-4}$ alkylene-CO-NH( $-C_{1-4}$ alkyl), wherein n is 2 or 1,  $-C_{1-4}$ alkylene-SO<sub>2</sub>-O( $-C_{1-4}$ alkylene-OSO<sub>2</sub>-O( $-C_{1-4}$ alkylene-OSO<sub>2</sub>-O( $-C_{1-4}$ alkylene-OSO<sub>2</sub>-O( $-C_{1-4}$ alkylene-OSO<sub>2</sub>-O( $-C_{1-4}$ alkylene-CN;

R<sup>2</sup> and R<sup>3</sup> are independently hydrogen or R<sup>4</sup> when R<sup>7</sup> is XR<sup>1</sup>; or

R<sup>2</sup>-and R<sup>3</sup>-are hydrogen or R<sup>2</sup>-and R<sup>3</sup>-are R<sup>4</sup>-or R<sup>2</sup>-is hydrogen and R<sup>3</sup>-is R<sup>4</sup>-when R<sup>-7</sup>-is hydroxyl;

R<sup>4</sup> is methyl;

 $R^5$  is a  $C_{7-16}$  olefinic group containing 3 to 5 ethylenic bonds;

R<sup>6</sup> is hydrogen or methyl; and

R<sup>7</sup> is hydroxyl or XR<sup>1</sup>; or a pharmaceutical composition thereof.

Claim 2 (original): The method of claim 1, wherein said compound is  $\alpha$ -tocotrienol,  $\gamma$ -

tocotrienol or  $\delta$ -tocotrienol.

Claim 3 (original): The method of claim 1, wherein said compound is 2,5,7,8-tetramethyl-2R-(4,8,12-trimethyl-3,7,11 E:Z tridecatrien) chroman-6-yloxy) acetic acid.

Claim 4 (previously presented): The method of claim 1, wherein said compound induces apoptosis, DNA synthesis arrest, cell cycle arrest, or cellular differentiation in cells comprising said tumor.

Claim 5 (previously presented): The method of claim 1, wherein said compound is administered in a dose of about 1 mg/kg to about 60 mg/kg.

Claim 6 (previously presented): The method of claim 5, wherein administration of said composition is oral, topical, liposomal/aerosol, intraocular, intranasal, parenteral, intravenous, intramuscular, or subcutaneous.

Claim 7 (canceled).

Claim 8 (currently amended): The method of claim 1, wherein said tumor cells comprise an ovarian cancer, a cervical cancer, an endometrial cancer, a bladder cancer, a lung cancer, a breast cancer, a testicular cancer, a prostate cancer, a glioma, a fibrosarcoma, a retinoblastoma, a melanoma, a soft tissue sarcoma, an osteosarcoma, a leukemia, a colon cancer, a carcinoma of the kidney, a pancreatic cancer, a basel cell carcinoma, or a squamous cell carcinoma.

Claims 9-13 (canceled).

Claim 14 (currently amended): A method of inducing apoptosis of a cell, comprising the step of contacting said cell with a pharmacologically effective dose of a compound having a structural formula

Wherein X is oxygen or nitrogen;

Y is oxygen or NR<sup>6</sup>

 $R^{1} \text{ is } -C_{1-10} \text{alkylene-COOH, } -C_{1-4} \text{alkylene-CONH}_{2}, -C_{1-4} \text{alkylene-COO-C}_{1-4} \text{alkyl, } -C_{1-4} \text{alkylene-COO(C}_{1-4} \text{alkylene-COOH)}_{2}, -C_{1-4} \text{alkylene-OH, } -C_{1-4} \text{alkylene-NH}_{3} \text{-halo or } -C_{1-4} \text{alkylene-OSO}_{2} \text{NH(C}_{1-4} \text{alkyl), } -C_{1-4} \text{alkylene-COO-C}_{1-4} \text{alkyl, } -C_{1-10} \text{alkylene-CO-SH, } -C_{1-4} \text{alkylene-CO-S(C}_{1-4} \text{alkyl), } -C_{1-4} \text{alkylene-CS-NH}_{2}, -C_{1-4} \text{alkylene-CO-NH}_{(2-n)} (C_{1-4} \text{alkyl)_n} \text{ wherein } \text{n is 2 or 1, } -C_{1-4} \text{alkylene-SO}_{2} \text{-O(C}_{1-4} \text{alkyl), } -C_{1-4} \text{alkylene-OSO}_{2} \text{-O(C}_{1-4} \text{alkyl), } -C_{1-4} \text{alkylene-OSO}_{2} \text{-O(C}_{1-4} \text{alkyl), } -C_{1-4} \text{alkylene-CN;}$ 

R<sup>2</sup> and R<sup>3</sup> are independently hydrogen or R<sup>4</sup> when R<sup>7</sup> is XR<sup>4</sup>; or

R<sup>2</sup>-and R<sup>3</sup>-are hydrogen or R<sup>2</sup>-and R<sup>3</sup>-are R<sup>4</sup>-or R<sup>2</sup>-is hydrogen and R<sup>3</sup>-is R<sup>4</sup>-when R<sup>-7</sup>-is hydroxyl;

R<sup>4</sup> is methyl;

R<sup>5</sup> is a C<sub>7-16</sub> olefinic group containing 3 to 5 ethylenic bonds;

R<sup>6</sup> is hydrogen or methyl; and

R<sup>7</sup>-is hydroxyl or XR<sup>1</sup>; or a pharmaceutical composition thereof.

Claim 15 (original): The method of claim 14, wherein said compound is  $\alpha$ -tocotrienol,  $\gamma$ -tocotrienol or  $\delta$ -tocotrienol.

Claim 16 (original): The method of claim 14, wherein said compound is 2,5,7,8-tetramethyl-2R-(4,8,12-trimethyl-3,7,11 E:Z tridecatrien) chroman-6-yloxy) acetic acid.

Claim 17 (canceled).

Claim 18 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-10</sub>alkylene-COOH.

Claim 19 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-CONH<sub>2</sub>.

Claim 20 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-COO-C<sub>1-4</sub>alkyl.

Claim 21 (new): The method of claim 1, wherein  $R^1$  is  $-C_{1-4}$ alkylene-CON( $C_{1-4}$ alkylene-COOH)<sub>2</sub>.

Claim 22 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-OH.

Claim 23 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-NH<sub>3</sub>-halo.

Claim 24 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-OSO<sub>2</sub>NH(C<sub>1-4</sub>alkyl).

Claim 25 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-COO-C<sub>1-4</sub>alkyl.

Claim 26 (new): The method of claim 1, wherein  $R^1$  is  $-C_{1-10}$ alkylene-CO-SH.

Claim 27 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-CO-S(C<sub>1-4</sub>alkyl).

Claim 28 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-CS-NH<sub>2</sub>.

Claim 29 (new): The method of claim 1, wherein  $R^1$  is  $-C_{1-4}$ alkylene-CO-NH<sub>(2-n)</sub>( $C_{1-4}$ alkyl)<sub>n</sub> wherein n is 2 or 1.

Claim 30 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-SO<sub>2</sub>-O(C<sub>1-4</sub>alkyl).

Claim 31 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-OSO<sub>2</sub>-O(C<sub>1-4</sub>alkyl).

Claim 32 (new): The method of claim 1, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-OP(O-C<sub>1-4</sub>alkyl)<sub>3</sub>.

Claim 33 (new): The method of claim 1, wherein  $R^1$  is  $-C_{1-10}$  alkylene-CN.

Claim 34 (new): The method of claim 1, wherein R<sup>2</sup> is hydrogen.

Claim 35 (new): The method of claim 1, wherein R<sup>2</sup> is methyl.

Claim 36 (new): The method of claim 1, wherein R<sup>3</sup> is hydrogen.

Claim 37 (new): The method of claim 1, wherein R<sup>3</sup> is methyl.

Claim 38 (new): The method of claim 1, wherein R<sup>4</sup> is methyl.

Claim 39 (new): The method of claim 1, wherein R<sup>5</sup> is a C<sub>7-16</sub> olefinic group containing 3 to 5 ethylenic bonds.

Claim 40 (new): The method of claim 1, wherein R<sup>6</sup> is methyl.

Claim 41 (new): The method of claim 1, wherein R<sup>6</sup> is hydrogen.

Claim 42 (new): The method of claim 14, wherein  $R^1$  is  $-C_{1-10}$  alkylene-COOH.

Claim 43 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-CONH<sub>2</sub>.

Claim 44 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-COO-C<sub>1-4</sub>alkyl.

Claim 45 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-CON(C<sub>1-4</sub>alkylene-COOH)<sub>2</sub>.

Claim 46 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-OH.

Claim 47 (new): The method of claim 14, wherein  $R^1$  is  $-C_{1-4}$ alkylene-NH<sub>3</sub>-halo.

Claim 48 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-OSO<sub>2</sub>NH(C<sub>1-4</sub>alkyl).

Claim 49 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-COO-C<sub>1-4</sub>alkyl.

Claim 50 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-10</sub>alkylene-CO-SH.

Claim 51 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-CO-S(C<sub>1-4</sub>alkyl).

Claim 52 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-CS-NH<sub>2</sub>.

Claim 53 (new): The method of claim 14, wherein  $R^1$  is  $-C_{1-4}$ alkylene-CO-NH<sub>(2-n)</sub>( $C_{1-4}$ alkyl)<sub>n</sub> wherein n is 2 or 1.

Claim 54 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-SO<sub>2</sub>-O(C<sub>1-4</sub>alkyl).

Claim 55 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-OSO<sub>2</sub>-O(C<sub>1-4</sub>alkyl).

Claim 56 (new): The method of claim 14, wherein R<sup>1</sup> is -C<sub>1-4</sub>alkylene-OP(O-C<sub>1-4</sub>alkyl)<sub>3</sub>.

Claim 57 (new): The method of claim 14, wherein  $R^1$  is  $-C_{1-10}$  alkylene-CN.

Claim 58 (new): The method of claim 14, wherein R<sup>2</sup> is hydrogen.

Claim 59 (new): The method of claim 14, wherein R<sup>2</sup> is methyl.

Claim 60 (new): The method of claim 14, wherein R<sup>3</sup> is hydrogen.

Claim 61 (new): The method of claim 14, wherein R<sup>3</sup> is methyl.

Claim 62 (new): The method of claim 14, wherein R<sup>4</sup> is methyl.

Claim 63 (new): The method of claim 14, wherein  $R^5$  is a  $C_{7-16}$  olefinic group containing 3 to 5 ethylenic bonds.

Claim 64 (new): The method of claim 14, wherein R<sup>6</sup> is methyl.

Claim 65 (new): The method of claim 14, wherein R<sup>6</sup> is hydrogen.